


(Cancelled) 68.

(Cancelled) 69.


(Currently Amended) 70. A compound of Formula I ~~Compound of claim 69:~~



or a pharmaceutically acceptable salt thereof, wherein;

n is 1 or 2;

R₁ is haloalkyl or haloalkoxyalkyl, with the proviso that R₁ is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which R₁ and R₂ are attached in radical Ia:



which radical Ia is a ~~in said~~ fragment of the Formula I and with the further proviso that said haloalkyl has two or more halo substituents;

R₂ is hydrido;

R₃ is hydrido;

R₄, R₈, R₉, and R₁₃ are independently hydrido or halo;

R_5 , R_6 , R_7 , R_{10} , R_{11} , and R_{12} are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylakoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocycl, haloalkylthio, alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclsulfonyl, heterocyclthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl, heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, alkyloxy, aralkoxy, saturated heterocycl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylakenyl, carboalkoxy, alkoxycarboxamido, alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

(Original) 71. Compound of Claim 70 or a pharmaceutically acceptable salt thereof, wherein;

n is 1;

R_1 is selected from the group consisting of trifluoromethyl,

1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R₂ is hydrido;

R₃ is hydrido;

5 R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ and R₁₀ are independently selected from the group consisting of

- 4-aminophenoxy, benzoyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
10 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
15 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,
cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
cyclopropyl, cyclopropylmethoxy, cyclopropoxy,
20 2,3-dichlorophenoxy, 2,4-dichlorophenoxy, 2,4-dichlorophenyl,
3,5-dichlorophenyl, 3,5-dichlorobenzyl, 3,4-dichlorophenoxy,
3,4-difluorophenoxy, 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy,
3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy, difluoromethoxy,
3,5-difluorophenoxy, 3,4-difluorophenyl, 3,5-difluorobenzyloxy,
25 4-difluoromethoxybenzyloxy, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyl,
3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy,
1,3-dioxan-2-yl, 1,4-dioxan-2-yl, 1,3-dioxolan-2-yl, ethoxy,
30 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy,
3-ethyl-5-methylphenoxy, fluoro, 4-fluoro-3-methylbenzyl,
4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl, 4-fluorobenzyloxy,
2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,

- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
5 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,
1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
10 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
3-methoxybenzyl, 4-methoxycarbonylbutoxy,
3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
15 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
4-methylthiophenoxy, 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy,
3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,
pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,
20 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
4-sec-butylphenoxy, tert -butoxy, 3-tert -butylphenoxy, 4-tert -butylphenoxy,
1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
25 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
30 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,
35 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,

3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
3-trifluoromethylthiobenzoyloxy, and trifluoromethylthio;

R₆ and R₁₁ are independently selected from the group consisting of
5 chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy,
trifluoromethyl, and trifluoromethoxy;

R₇ and R₁₂ are independently selected from the group consisting of
hydrido, fluoro, and trifluoromethyl.

10

(original) 72. Compound of Claim 71 or a pharmaceutically acceptable salt
thereof, wherein;

n is 1;

R₁ is selected from the group consisting of trifluoromethyl,
15 difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R₂ is hydrido;

R₃ is hydrido;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;


R₅ and R₁₀ are independently selected from the group consisting of
20 benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,
3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,
2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,
2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
25 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl,
cyclohexylmethoxy, cyclopentoxo, cyclopentyl, cyclopentylcarbonyl,
cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,
2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,
30 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,
3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,

- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,
3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
5 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,
3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
10 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,
3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
15 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenzyloxy,
3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
2-naphthyl, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
20 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,
1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
25 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyl), thiazol-2-yl,
thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
30 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
35 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R_6 and R_{11} are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

R_7 and R_{12} are independently selected from the group consisting of
5 hydrido, fluoro, and trifluoromethyl.

(original) 73. Compound of Claim 70 of Formula II:



10 or a pharmaceutically acceptable salt thereof, wherein;

R_1 is haloalkyl;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or halo;

R_5 , R_6 , R_7 , R_{10} , R_{11} , and R_{12} are independently selected from the
group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino,
15 heterocyclalkoxy, heterocyclalthio, hydroxyalkoxy, aralkanoylalkoxy,
aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl,
heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy,
alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl,
cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl,

hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not

hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and

5 R_{13} is not hydrido.

(original) 74. Compound of Claim 73 or a pharmaceutically acceptable salt thereof, wherein;

10 R_1 is trifluoromethyl;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;

R_5 is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

15 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,

3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,
3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy,
3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy,

20 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R_{10} is selected from the group consisting of cyclopentyl,

1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

R_6 , R_7 , R_{11} , and R_{12} are independently hydrido or fluoro.

25

(original) 75. Compound of Claim 74 or a pharmaceutically acceptable salt thereof, wherein;

R_1 is trifluoromethyl;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;


R_5 is selected from the group consisting of 5-bromo-2-fluorophenoxy,
4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,
5 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,
3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,
3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl-2-yl)oxy,
3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy,
10 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R_{10} is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy,
pentafluoroethyl, and trifluoromethyl;

R_6 , R_7 , R_{11} , and R_{12} are independently hydrido or fluoro.

15

(original) 76. Compound of Claim 68 or a pharmaceutically acceptable salt thereof, wherein said compound is a compound of Formula III:



20 wherein R_5 and R_{10} are selected to form a compound selected from the group consisting of;

R_5 is 3-isopropylphenoxy and R_{10} is pentafluoroethyl;

R_5 is 2,3-dichlorophenoxy and R_{10} is pentafluoroethyl;

- R_5 is 3-trifluoromethoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluorophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-methylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 2-fluoro-5-bromophenoxy and R_{10} is pentafluoroethyl;
- 5 R_5 is 4-chloro-3-ethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-ethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-dimethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-*t*-butylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluoro-3-methylphenoxy and R_{10} is pentafluoroethyl;
- 10 R_5 is 3,4-dichlorophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-difluoromethoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-dimethylaminophenoxy and R_{10} is pentafluoroethyl;
- 15 R_5 is 3-cyclopropylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-(2-furyl)phenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-pentafluoroethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-aminophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3,4,5-trimethylphenoxy and R_{10} is pentafluoroethyl;
- 20 R_5 is 4-propoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylphenoxy and R_{10} is pentafluoroethyl;

- R_5 is 2-nitrophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-difluorobenzyloxy and R_{10} is pentafluoroethyl;
- 5 R_5 is cyclohexylmethylenoxy and R_{10} is pentafluoroethyl;
- R_5 is benzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 4-ethylbenzyloxy and R_{10} is pentafluoroethyl;
- 10 R_5 is isopropoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylbenzyl and R_{10} is pentafluoroethyl;
- R_5 is isopropylthio and R_{10} is pentafluoroethyl;
- R_5 is cyclopentoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-chloro-5-pyridinyloxy and R_{10} is pentafluoroethyl;
- 15 R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,4-dimethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 4-isopropylbenzyloxy and R_{10} is pentafluoroethyl;
- 20 R_5 is 1-phenylethoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is pentafluoroethyl;

R₅ is 3-trifluoromethylphenyl and R₁₀ is pentafluoroethyl;

R₅ is 4-methoxyphenylamino and R₁₀ is pentafluoroethyl;

R₅ is 4-nitrophenylthio and R₁₀ is pentafluoroethyl;

R₅ is 3-isopropylphenoxy and R₁₀ is trifluoromethyl;

5 R₅ is 2,3-dichlorophenoxy and R₁₀ is trifluoromethyl;

R₅ is 3-trifluoromethoxyphenoxy and R₁₀ is trifluoromethyl;

R₅ is 4-fluorophenoxy and R₁₀ is trifluoromethyl;

R₅ is 4-methylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 2-fluoro-5-bromophenoxy and R₁₀ is trifluoromethyl;

10 R₅ is 4-chloro-3-ethylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 3-ethylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 3,5-dimethylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 3-*t*-butylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 4-fluoro-3-methylphenoxy and R₁₀ is trifluoromethyl;

15 R₅ is 3,4-dichlorophenoxy and R₁₀ is trifluoromethyl;

R₅ is 5,6,7,8-tetrahydro-2-naphthoxy and R₁₀ is trifluoromethyl;

R₅ is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R₁₀ is trifluoromethyl;

R₅ is 3-difluoromethoxyphenoxy and R₁₀ is trifluoromethyl;

R₅ is 3-dimethylaminophenoxy and R₁₀ is trifluoromethyl;

20 R₅ is 3-cyclopropylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 3-(2-furyl)phenoxy and R₁₀ is trifluoromethyl;

- R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-aminophenoxy and R_{10} is trifluoromethyl;
- R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-propoxyphenoxy and R_{10} is trifluoromethyl;
- 5 R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 2-nitrophenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 3,5-difluorobenzyloxy and R_{10} is trifluoromethyl;
- 10 R_5 is cyclohexylmethylenoxy and R_{10} is trifluoromethyl;
- R_5 is benzyloxy and R_{10} is trifluoromethyl;
- R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 4-ethylbenzyloxy and R_{10} is trifluoromethyl;
- 15 R_5 is isopropoxy and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethylbenzyl and R_{10} is trifluoromethyl;
- R_5 is isopropylthio and R_{10} is trifluoromethyl;
- R_5 is cyclopentoxy and R_{10} is trifluoromethyl;
- R_5 is 3-chloro-5-pyridinyloxy and R_{10} is trifluoromethyl;
- 20 R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 3,4-dimethylbenzyloxy and R_{10} is trifluoromethyl;

R₅ is 2-fluoro-3-trifluoromethylbenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 3-fluoro-5-trifluoromethylbenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 4-isopropylbenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 1-phenylethoxy and R₁₀ is trifluoromethyl;

5 R₅ is 4-fluoro-3-methylbenzoyl and R₁₀ is trifluoromethyl;

R₅ is 3-trifluoromethylphenyl and R₁₀ is trifluoromethyl;

R₅ is 4-methoxyphenylamino and R₁₀ is trifluoromethyl;

R₅ is 4-nitrophenylthio and R₁₀ is trifluoromethyl;

R₅ is 3-isopropylphenoxy and R₁₀ is trifluoromethoxy;

10 R₅ is 2,3-dichlorophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethoxyphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-fluorophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-methylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 2-fluoro-5-bromophenoxy and R₁₀ is trifluoromethoxy;

15 R₅ is 4-chloro-3-ethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-ethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3,5-dimethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-*t*-butylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-fluoro-3-methylphenoxy and R₁₀ is trifluoromethoxy;

20 R₅ is 3,4-dichlorophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 5,6,7,8-tetrahydro-2-naphthoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-difluoromethoxyphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-dimethylaminophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-cyclopropylphenoxy and R₁₀ is trifluoromethoxy;

5 R₅ is 3-(2-furyl)phenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-pentafluoroethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-aminophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3,4,5-trimethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-propoxyphenoxy and R₁₀ is trifluoromethoxy;

10 R₅ is 3-trifluoromethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 2-nitrophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethoxybenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3,5-difluorobenzyloxy and R₁₀ is trifluoromethoxy;

15 R₅ is cyclohexylmethylenoxy and R₁₀ is trifluoromethoxy;

R₅ is benzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3,5-ditrifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 4-trifluoromethoxybenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 4-ethylbenzyloxy and R₁₀ is trifluoromethoxy;

20 R₅ is isopropoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylbenzyl and R₁₀ is trifluoromethoxy;

R₅ is isopropylthio and R₁₀ is trifluoromethoxy;

R₅ is cyclopentoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-chloro-5-pyridinyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylthiobenzyloxy and R₁₀ is trifluoromethoxy;

5 R₅ is 3,4-dimethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 2-fluoro-3-trifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3-fluoro-5-trifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 4-isopropylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 1-phenylethoxy and R₁₀ is trifluoromethoxy;

10 R₅ is 4-fluoro-3-methylbenzoyl and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylphenyl and R₁₀ is trifluoromethoxy;

R₅ is 4-methoxyphenylamino and R₁₀ is trifluoromethoxy;

R₅ is 4-nitrophenylthio and R₁₀ is trifluoromethoxy;

R₅ is 3-isopropylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

15 R₅ is 2,3-dichlorophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-trifluoromethoxyphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-fluorophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-methylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 2-fluoro-5-bromophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

20 R₅ is 4-chloro-3-ethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-ethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

- R_5 is 3,5-dimethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-*t*-butylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-fluoro-3-methylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3,4-dichlorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 5 R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-difluoromethoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-dimethylaminophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 10 R_5 is 3-cyclopropylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-(2-furyl)phenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-pentafluoroethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-aminophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3,4,5-trimethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 15 R_5 is 4-propoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 2-nitrophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 20 R_5 is 3,5-difluorobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is cyclohexylmethylenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is benzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3,5-ditrifluoromethylbenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-trifluoromethoxybenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-ethylbenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is isopropoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

5 R₅ is 3-trifluoromethylbenzyl and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is isopropylthio and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is cyclopentoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-chloro-5-pyridinyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-trifluoromethylthiobenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

10 R₅ is 3,4-dimethylbenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 2-fluoro-3-trifluoromethylbenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-fluoro-5-trifluoromethylbenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

15 R₅ is 4-isopropylbenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 1-phenylethoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;


R₅ is 4-fluoro-3-methylbenzoyl and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-trifluoromethylphenyl and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-methoxyphenylamino and R₁₀ is 1,1,2,2-tetrafluoroethoxy; and

20 R₅ is 4-nitrophenylthio and R₁₀ is 1,1,2,2-tetrafluoroethoxy.

(original) 77. A pharmaceutical composition comprising a therapeutically effective amount of a compound or a pharmaceutically acceptable salt thereof, together with a pharmaceutically acceptable carrier, said compound being of Formula I:




5 wherein;

n is 1 or 2;

R₁ is haloalkyl or haloalkoxyalkyl with the proviso that R₁ is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which R₁ and R₂ are

10 attached in radical Ia:



which radical Ia is a fragment of Formula I;

R₂ is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkyl, haloalkenyl, halocycloalkyl,

15 haloalkoxyalkyl, haloalkenyloxyalkyl, halocycloalkoxy, halocycloalkoxyalkyl,

perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

R_3 is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl, alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

R_4 , R_8 , R_9 , and R_{13} are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl ;

R_5 , R_6 , R_7 , R_{10} , R_{11} , and R_{12} are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocycliloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio, alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl, heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido, alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

R_5 and R_6 are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group

5 consisting of R_{10} , R_{11} , and R_{12} ;

R_{10} and R_{11} are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is

10 optionally substituted by one or more substituents selected from the group consisting of R_5 , R_6 , and R_7 ;

with the proviso that the groups R_5 and R_6 and the groups R_{10} and R_{11} are not simultaneously taken together to form two rings;

15 with the further proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido or with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

20 (original) 78. The pharmaceutical composition of Claim 77, wherein said compound is of Formula I, wherein at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

25 (original) 79. The pharmaceutical composition of Claim 78, wherein said compound is of Formula I, wherein;
 n is 1 or 2;

R_1 is haloalkyl or haloalkoxyalkyl with the proviso that R_1 is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which R_1 and R_2 are attached in said fragment of the Formula I and with the further proviso that said
5 haloalkyl has two or more halo substituents;

R_2 is hydrido;

R_3 is hydrido;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or halo;

R_5 , R_6 , R_7 , R_{10} , R_{11} , and R_{12} are independently selected from the
10 group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclalthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxy carbonylalkoxy, alkoxy carbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclalkylcarbonyl, heteroaralkoxy, heterocyclalkoxy, aralkylaryl, aralkyl,
15 haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, saturated heterocyclalkyl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

20 with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

25 (original) 80. The pharmaceutical composition of Claim 79, wherein said compound is of Formula I, wherein;
 n is 1;

R_1 is selected from the group consisting of trifluoromethyl, 1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R_2 is hydrido;

5 R_3 is hydrido;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;

R_5 and R_{10} are independently selected from the group consisting of

4-aminophenoxy, benzoyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
10 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
15 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,
cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
20 cyclopropyl, cyclopropylmethoxy, cyclopropoxy, 2,3-dichlorophenoxy,
2,4-dichlorophenoxy, 2,4-dichlorophenyl, 3,5-dichlorophenyl,
3,5-dichlorobenzyl, 3,4-dichlorophenoxy, 3,4-difluorophenoxy,
2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy, 3,4-difluorobenzyloxy,
2,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,
25 3,4-difluorophenyl, 3,5-difluorobenzyloxy, 4-difluoromethoxybenzyloxy,
2,3-difluorophenoxy, 2,4-difluorophenoxy, 2,5-difluorophenoxy,
3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy, 3,5-dimethylphenoxy,
3,4-dimethylphenoxy, 3,4-dimethylbenzyl, 3,4-dimethylbenzyloxy,
3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy, 1,3-dioxan-2-yl, 1,4-dioxan-2-yl,
30 1,3-dioxolan-2-yl, ethoxy, 4-ethoxyphenoxy, 4-ethylbenzyloxy,
3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy, fluoro,

- 4-fluoro-3-methylbenzyl, 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl,
4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,
3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
5 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,
1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
10 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
3-methoxybenzyl, 4-methoxycarbonylbutoxy,
15 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
4-methylthiophenoxy, 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy,
20 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,
pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,
1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
25 4-sec-butylphenoxy, tert -butoxy, 3-tert -butylphenoxy, 4-tert -butylphenoxy,
1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
2-(5,6,7,8-tetrahydronaphthyl)oxy, thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
30 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
35 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,

4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
5 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R_6 and R_{11} are independently selected from the group consisting of
chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy,
trifluoromethyl, and trifluoromethoxy;

R_7 and R_{12} are independently selected from the group consisting of
10 hydrido, fluoro, and trifluoromethyl.

(original) 81. The pharmaceutical composition of Claim 80, wherein said
compound is of Formula I, wherein;

15 n is 1;

R_1 is selected from the group consisting of trifluoromethyl,
difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R_2 is hydrido;

R_3 is hydrido;

20 R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;

R_5 and R_{10} are independently selected from the group consisting of
benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,
3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,
2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,
25 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl,
cyclohexylmethoxy, cyclopentoxo, cyclopentyl, cyclopentylcarbonyl,
30 cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,
2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,


- 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzoyloxy,
3,5-difluorobenzoyloxy, difluoromethoxy, 3,5-difluorophenoxy,
3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
5 3,4-dimethylbenzoyloxy, 3,5-dimethylbenzoyloxy, 3,5-dimethylphenoxy,
3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzoyloxy,
3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
4-fluoro-3-methylbenzyl, 4-fluorobenzoyloxy, 2-fluoro-3-methylphenoxy,
3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
10 2-fluoro-3-trifluoromethylbenzoyloxy, 3-fluoro-5-trifluoromethylbenzoyloxy,
2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
2-fluorobenzoyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
15 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzoyloxy,
3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
4-methoxyphenylamino, 3-methylbenzoyloxy, 4-methylbenzoyloxy,
3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
20 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
2-naphthyl, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
2,2,3,3,3-pentafluoropropyl, 1,1,1,3,3,3-pentafluoropropyl,
1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
25 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyl), thiazol-2-yl,
thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
30 3-trifluoromethoxybenzoyloxy, 4-trifluoromethoxybenzoyloxy,
4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
3-trifluoromethylbenzoyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzoyloxy,
4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
35 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R_6 and R_{11} are independently selected from the group consisting of
chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and
5 trifluoromethyl;

R_7 and R_{12} are independently selected from the group consisting of
hydrido, fluoro, and trifluoromethyl.

10 (original) 82. The pharmaceutical composition of Claim 79, wherein said
compound is of Formula II:



wherein;

R_1 is haloalkyl;

15 R_4 , R_8 , R_9 , and R_{13} are independently hydrido or halo;

R_5 , R_6 , R_7 , R_{10} , R_{11} , and R_{12} are independently selected from the
group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino,
heterocyclalkoxy, heterocyclthio, hydroxyalkoxy, aralkanoylalkoxy,
aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl,
20 heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy,

alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

- 5 with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

- 10 (original) 83. The pharmaceutical composition of Claim 82, wherein said compound is of Formula II, wherein;

R_1 is trifluoromethyl;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;

R_5 is selected from the group consisting of 5-bromo-2-fluorophenoxy,

- 15 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy, 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy, 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy, 3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,
20 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy, 3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy, 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R_{10} is selected from the group consisting of cyclopentyl,

- 1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl, 25 pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

R_6 , R_7 , R_{11} , and R_{12} are independently hydrido or fluoro.

(original) 84. The pharmaceutical composition of Claim 83, wherein said compound is of Formula II, wherein;

R_1 is trifluoromethyl;


R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;

5 R_5 is selected from the group consisting of 5-bromo-2-fluorophenoxy, 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy, 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy, 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,
10 3-pentafluoroethylphenoxy, 3-tert-butylphenoxy, 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy, 3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy, 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R_{10} is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy,
15 pentafluoroethyl, and trifluoromethyl;

R_6 , R_7 , R_{11} , and R_{12} are independently hydrido or fluoro.

(original) 85. The pharmaceutical composition of Claim 77, wherein said
20 compound is a compound of Formula III:



(III)

wherein R_5 and R_{10} are selected to form a compound selected from the group consisting of;

- R_5 is 3-isopropylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 2,3-dichlorophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluorophenoxy and R_{10} is pentafluoroethyl;
- 5 R_5 is 4-methylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 2-fluoro-5-bromophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-chloro-3-ethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-ethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-dimethylphenoxy and R_{10} is pentafluoroethyl;
- 10 R_5 is 3-*t*-butylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluoro-3-methylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3,4-dichlorophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is pentafluoroethyl;
- 15 R_5 is 3-difluoromethoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-dimethylaminophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-cyclopropylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-(2-furyl)phenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-pentafluoroethylphenoxy and R_{10} is pentafluoroethyl;
- 20 R_5 is 4-aminophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3,4,5-trimethylphenoxy and R_{10} is pentafluoroethyl;

- R_5 is 4-propoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 2-nitrophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
- 5 R_5 is 3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-difluorobenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is cyclohexylmethyleneoxy and R_{10} is pentafluoroethyl;
- R_5 is benzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- 10 R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 4-ethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is isopropoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylbenzyl and R_{10} is pentafluoroethyl;
- R_5 is isopropylthio and R_{10} is pentafluoroethyl;
- 15 R_5 is cyclopentoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-chloro-5-pyridinyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,4-dimethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- 20 R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 4-isopropylbenzyloxy and R_{10} is pentafluoroethyl;

- R_5 is 1-phenylethoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylphenyl and R_{10} is pentafluoroethyl;
- R_5 is 4-methoxyphenylamino and R_{10} is pentafluoroethyl;
- 5 R_5 is 4-nitrophenylthio and R_{10} is pentafluoroethyl;
- R_5 is 3-isopropylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 2,3-dichlorophenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-fluorophenoxy and R_{10} is trifluoromethyl;
- 10 R_5 is 4-methylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 2-fluoro-5-bromophenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-chloro-3-ethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-ethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3,5-dimethylphenoxy and R_{10} is trifluoromethyl;
- 15 R_5 is 3-*t*-butylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-fluoro-3-methylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3,4-dichlorophenoxy and R_{10} is trifluoromethyl;
- R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is trifluoromethyl;
- R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethyl;
- 20 R_5 is 3-difluoromethoxyphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-dimethylaminophenoxy and R_{10} is trifluoromethyl;

- R_5 is 3-cyclopropylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-(2-furyl)phenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-aminophenoxy and R_{10} is trifluoromethyl;
- 5 R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-propoxyphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 2-nitrophenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl;
- 10 R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 3,5-difluorobenzyloxy and R_{10} is trifluoromethyl;
- R_5 is cyclohexylmethylenoxy and R_{10} is trifluoromethyl;
- R_5 is benzyloxy and R_{10} is trifluoromethyl;
- R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
- 15 R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 4-ethylbenzyloxy and R_{10} is trifluoromethyl;
- R_5 is isopropoxy and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethylbenzyl and R_{10} is trifluoromethyl;
- R_5 is isopropylthio and R_{10} is trifluoromethyl;
- 20 R_5 is cyclopentoxy and R_{10} is trifluoromethyl;
- R_5 is 3-chloro-5-pyridinyloxy and R_{10} is trifluoromethyl;

R₅ is 3-trifluoromethylthiobenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 3,4-dimethylbenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 2-fluoro-3-trifluoromethylbenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 3-fluoro-5-trifluoromethylbenzyloxy and R₁₀ is trifluoromethyl;

5 R₅ is 4-isopropylbenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 1-phenylethoxy and R₁₀ is trifluoromethyl;

R₅ is 4-fluoro-3-methylbenzoyl and R₁₀ is trifluoromethyl;

R₅ is 3-trifluoromethylphenyl and R₁₀ is trifluoromethyl;

R₅ is 4-methoxyphenylamino and R₁₀ is trifluoromethyl;

10 R₅ is 4-nitrophenylthio and R₁₀ is trifluoromethyl;

R₅ is 3-isopropylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 2,3-dichlorophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethoxyphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-fluorophenoxy and R₁₀ is trifluoromethoxy;

15 R₅ is 4-methylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 2-fluoro-5-bromophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-chloro-3-ethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-ethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3,5-dimethylphenoxy and R₁₀ is trifluoromethoxy;

20 R₅ is 3-*t*-butylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-fluoro-3-methylphenoxy and R₁₀ is trifluoromethoxy;

- R_5 is 3,4-dichlorophenoxy and R_{10} is trifluoromethoxy;
- R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-difluoromethoxyphenoxy and R_{10} is trifluoromethoxy;
- 5 R_5 is 3-dimethylaminophenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-cyclopropylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-(2-furyl)phenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 4-aminophenoxy and R_{10} is trifluoromethoxy;
- 10 R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 4-propoxyphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 2-nitrophenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is trifluoromethoxy;
- 15 R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;
- R_5 is 3,5-difluorobenzyloxy and R_{10} is trifluoromethoxy;
- R_5 is cyclohexylmethylenoxy and R_{10} is trifluoromethoxy;
- R_5 is benzyloxy and R_{10} is trifluoromethoxy;
- R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;
- 20 R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethoxy;
- R_5 is 4-ethylbenzyloxy and R_{10} is trifluoromethoxy;

R₅ is isopropoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylbenzyl and R₁₀ is trifluoromethoxy;

R₅ is isopropylthio and R₁₀ is trifluoromethoxy;

R₅ is cyclopentoxy and R₁₀ is trifluoromethoxy;

5 R₅ is 3-chloro-5-pyridinyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylthiobenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3,4-dimethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 2-fluoro-3-trifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3-fluoro-5-trifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

10 R₅ is 4-isopropylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 1-phenylethoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-fluoro-3-methylbenzoyl and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylphenyl and R₁₀ is trifluoromethoxy;

R₅ is 4-methoxyphenylamino and R₁₀ is trifluoromethoxy;

15 R₅ is 4-nitrophenylthio and R₁₀ is trifluoromethoxy;

R₅ is 3-isopropylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 2,3-dichlorophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-trifluoromethoxyphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-fluorophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;


20 R₅ is 4-methylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 2-fluoro-5-bromophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

- R_5 is 4-chloro-3-ethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-ethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3,5-dimethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-*t*-butylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 5 R_5 is 4-fluoro-3-methylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3,4-dichlorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 10 R_5 is 3-difluoromethoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-dimethylaminophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-cyclopropylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-(2-furyl)phenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-pentafluoroethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 15 R_5 is 4-aminophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3,4,5-trimethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-propoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 2-nitrophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 20 R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3,5-difluorobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;


- R_5 is cyclohexylmethylenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is benzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 5 R_5 is 4-ethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is isopropoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethylbenzyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is isopropylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is cyclopentoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 10 R_5 is 3-chloro-5-pyridinyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3,4-dimethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 15 R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-isopropylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 1-phenylethoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 20 R_5 is 3-trifluoromethylphenyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-methoxyphenylamino and R_{10} is 1,1,2,2-tetrafluoroethoxy; and
- R_5 is 4-nitrophenylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy.

(original) 86. A method of treating or preventing a CETP-mediated disorder in a subject by administering a therapeutically effective amount of a compound or a pharmaceutically acceptable salt thereof, said compound being of Formula I:



5 or a pharmaceutically acceptable salt thereof, wherein;
n is 1 or 2;

R₁ is haloalkyl or haloalkoxyalkyl with the proviso that R₁ is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which R₁ and R₂ are
10 attached in radical Ia:



which radical Ia is a fragment of Formula I;

R₂ is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkyl, haloalkenyl, halocycloalkyl,
15 haloalkoxyalkyl, haloalkenyloxyalkyl, halocycloalkoxy, halocycloalkoxyalkyl,

perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

R_3 is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl, alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

R_4 , R_8 , R_9 , and R_{13} are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl ;

R_5 , R_6 , R_7 , R_{10} , R_{11} , and R_{12} are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclyloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio, alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl, heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido, alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

R_5 and R_6 are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group

5 consisting of R_{10} , R_{11} , and R_{12} ;

R_{10} and R_{11} are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of R_5 , R_6 , and R_7 ;

with the proviso that the groups R_5 and R_6 and the groups R_{10} and R_{11} are not simultaneously taken together to form two rings;

15 with the further proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido or with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

20 (original) 87. The method of Claim 86, wherein said compound is of Formula I, wherein at least one of R_4 , R_5 , R_6 , R_7 , and R_8 that is not hydrido and at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} that is not hydrido.

25 (original) 88. The method of Claim 87, wherein said compound is of Formula I, wherein;
 n is 1 or 2;

R_1 is haloalkyl or haloalkoxyalkyl with the proviso that R_1 is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which R_1 and R_2 are attached in said fragment of the Formula I and with the further proviso that said

5 haloalkyl has two or more halo substituents;

R_2 is hydrido;

R_3 is hydrido;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or halo;

R_5 , R_6 , R_7 , R_{10} , R_{11} , and R_{12} are independently selected from the

10 group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxy, carbonylalkoxy, alkoxy, carbonylalkenyloxy, aralkanoylalkoxy, aralkanoyl, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl, heteroaralkoxy, heterocyclloxy, aralkylaryl, aralkyl,

15 haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, saturated heterocycl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

20 with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

25 (original) 89. The method of Claim 88, wherein said compound is of Formula I, wherein;

n is 1;

R_1 is selected from the group consisting of trifluoromethyl,

1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R₂ is hydrido;

R₃ is hydrido;

5 R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ and R₁₀ are independently selected from the group consisting of
4-aminophenoxy, benzoyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
10 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
15 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,
cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
cyclopropyl, cyclopropylmethoxy, cyclopropoxy,
20 2,3-dichlorophenoxy, 2,4-dichlorophenoxy, 2,4-dichlorophenyl,
3,5-dichlorophenyl, 3,5-dichlorobenzyl, 3,4-dichlorophenoxy,
3,4-difluorophenoxy, 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy,
3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy, difluoromethoxy,
3,5-difluorophenoxy, 3,4-difluorophenyl, 3,5-difluorobenzyloxy,
25 4-difluoromethoxybenzyloxy, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyl,
3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy,
1,3-dioxan-2-yl, 1,4-dioxan-2-yl, 1,3-dioxolan-2-yl, ethoxy,
30 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy,
3-ethyl-5-methylphenoxy, fluoro, 4-fluoro-3-methylbenzyl,
4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl, 4-fluorobenzyloxy,
2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,

- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
5 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,
1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
10 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
3-methoxybenzyl, 4-methoxycarbonylbutoxy,
3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
15 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
4-methylthiophenoxy, 2-naphthylloxy, 2-nitrophenoxy, 4-nitrophenoxy,
3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,
pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,
20 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
4-sec-butylphenoxy, tert-butoxy, 3-tert-butylphenoxy, 4-tert-butylphenoxy,
1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
25 2-(5,6,7,8-tetrahydronaphthylloxy), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
30 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,
35 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,

3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R_6 and R_{11} are independently selected from the group consisting of
5 chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy,
trifluoromethyl, and trifluoromethoxy;

R_7 and R_{12} are independently selected from the group consisting of
hydrido, fluoro, and trifluoromethyl.

10

(original) 90. The method of Claim 89, wherein said compound is of Formula
I, wherein;

n is 1;

R_1 is selected from the group consisting of trifluoromethyl,
15 difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R_2 is hydrido;

R_3 is hydrido;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;


R_5 and R_{10} are independently selected from the group consisting of
20 benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,
3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,
2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,
2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
25 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl,
cyclohexylmethoxy, cyclopentoxo, cyclopentyl, cyclopentylcarbonyl,
cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,
2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,
30 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,
3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,

- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,
3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
5 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,
3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
10 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,
3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
15 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenzyloxy,
3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
2-naphthyl, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
20 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,
1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
25 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyl), thiazol-2-yl,
thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
30 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
35 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R_6 and R_{11} are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

R_7 and R_{12} are independently selected from the group consisting of
5 hydrido, fluoro, and trifluoromethyl.

(original) 91. The method of Claim 88, wherein said compound is of Formula II:



10

wherein;

R_1 is haloalkyl;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or halo;

R_5 , R_6 , R_7 , R_{10} , R_{11} , and R_{12} are independently selected from the
15 group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclalthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl,
20 cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl,

hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R₄, R₅, R₆, R₇, and R₈ is not

hydrido and with the further proviso that at least one of R₉, R₁₀, R₁₁, R₁₂, and

5 R₁₃ is not hydrido.

(original) 92. The method of Claim 91, wherein said compound is of Formula II, wherein;

10 R₁ is trifluoromethyl;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

15 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,
3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthylthio),
3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy,

20 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R₁₀ is selected from the group consisting of cyclopentyl, 1,1,2,2-

tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

R₆, R₇, R₁₁, and R₁₂ are independently hydrido or fluoro.

25

(original) 93. The method of Claim 92, wherein said compound is of Formula II, wherein;

R₁ is trifluoromethyl;

R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;


R_5 is selected from the group consisting of 5-bromo-2-fluorophenoxy, 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy, 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy, 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy, 3-pentafluoroethylphenoxy, 3-tert-butylphenoxy, 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy, 3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy, 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R_{10} is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy, pentafluoroethyl, and trifluoromethyl;

R_6 , R_7 , R_{11} , and R_{12} are independently hydrido or fluoro.

15

(original) 94. The method of Claim 86, wherein said compound is a compound of Formula III:



wherein R_5 and R_{10} are selected to form a compound selected from the group consisting of;

R_5 is 3-isopropylphenoxy and R_{10} is pentafluoroethyl;

R_5 is 2,3-dichlorophenoxy and R_{10} is pentafluoroethyl;

- R_5 is 3-trifluoromethoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluorophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-methylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 2-fluoro-5-bromophenoxy and R_{10} is pentafluoroethyl;
- 5 R_5 is 4-chloro-3-ethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-ethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-dimethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-*t*-butylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluoro-3-methylphenoxy and R_{10} is pentafluoroethyl;
- 10 R_5 is 3,4-dichlorophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-difluoromethoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-dimethylaminophenoxy and R_{10} is pentafluoroethyl;
- 15 R_5 is 3-cyclopropylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-(2-furyl)phenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-pentafluoroethylphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-aminophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3,4,5-trimethylphenoxy and R_{10} is pentafluoroethyl;
- 20 R_5 is 4-propoxyphenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylphenoxy and R_{10} is pentafluoroethyl;

- R_5 is 2-nitrophenoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-difluorobenzyloxy and R_{10} is pentafluoroethyl;
- 5 R_5 is cyclohexylmethylenoxy and R_{10} is pentafluoroethyl;
- R_5 is benzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 4-ethylbenzyloxy and R_{10} is pentafluoroethyl;
- 10 R_5 is isopropoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-trifluoromethylbenzyl and R_{10} is pentafluoroethyl;
- R_5 is isopropylthio and R_{10} is pentafluoroethyl;
- R_5 is cyclopentoxy and R_{10} is pentafluoroethyl;
- R_5 is 3-chloro-5-pyridinyloxy and R_{10} is pentafluoroethyl;
- 15 R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3,4-dimethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
- R_5 is 4-isopropylbenzyloxy and R_{10} is pentafluoroethyl;
- 20 R_5 is 1-phenylethoxy and R_{10} is pentafluoroethyl;
- R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is pentafluoroethyl;

- R_5 is 3-trifluoromethylphenyl and R_{10} is pentafluoroethyl;
- R_5 is 4-methoxyphenylamino and R_{10} is pentafluoroethyl;
- R_5 is 4-nitrophenylthio and R_{10} is pentafluoroethyl;
- R_5 is 3-isopropylphenoxy and R_{10} is trifluoromethyl;
- 5 R_5 is 2,3-dichlorophenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-fluorophenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-methylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 2-fluoro-5-bromophenoxy and R_{10} is trifluoromethyl;
- 10 R_5 is 4-chloro-3-ethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-ethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3,5-dimethylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-*t*-butylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 4-fluoro-3-methylphenoxy and R_{10} is trifluoromethyl;
- 15 R_5 is 3,4-dichlorophenoxy and R_{10} is trifluoromethyl;
- R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is trifluoromethyl;
- R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-difluoromethoxyphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-dimethylaminophenoxy and R_{10} is trifluoromethyl;
- 20 R_5 is 3-cyclopropylphenoxy and R_{10} is trifluoromethyl;
- R_5 is 3-(2-furyl)phenoxy and R_{10} is trifluoromethyl;

R₅ is 3-pentafluoroethylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 4-aminophenoxy and R₁₀ is trifluoromethyl;

R₅ is 3,4,5-trimethylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 4-propoxyphenoxy and R₁₀ is trifluoromethyl;

5 R₅ is 3-trifluoromethylphenoxy and R₁₀ is trifluoromethyl;

R₅ is 2-nitrophenoxy and R₁₀ is trifluoromethyl;

R₅ is 3-trifluoromethoxybenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 3-trifluoromethylbenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 3,5-difluorobenzyloxy and R₁₀ is trifluoromethyl;

10 R₅ is cyclohexylmethylenoxy and R₁₀ is trifluoromethyl;

R₅ is benzyloxy and R₁₀ is trifluoromethyl;

R₅ is 3,5-ditrifluoromethylbenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 4-trifluoromethoxybenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 4-ethylbenzyloxy and R₁₀ is trifluoromethyl;

15 R₅ is isopropoxy and R₁₀ is trifluoromethyl;

R₅ is 3-trifluoromethylbenzyl and R₁₀ is trifluoromethyl;

R₅ is isopropylthio and R₁₀ is trifluoromethyl;

R₅ is cyclopentoxy and R₁₀ is trifluoromethyl;

R₅ is 3-chloro-5-pyridinyloxy and R₁₀ is trifluoromethyl;

20 R₅ is 3-trifluoromethylthiobenzyloxy and R₁₀ is trifluoromethyl;

R₅ is 3,4-dimethylbenzyloxy and R₁₀ is trifluoromethyl;

- R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 4-isopropylbenzyloxy and R_{10} is trifluoromethyl;
- R_5 is 1-phenylethoxy and R_{10} is trifluoromethyl;
- 5 R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is trifluoromethyl;
- R_5 is 3-trifluoromethylphenyl and R_{10} is trifluoromethyl;
- R_5 is 4-methoxyphenylamino and R_{10} is trifluoromethyl;
- R_5 is 4-nitrophenylthio and R_{10} is trifluoromethyl;
- R_5 is 3-isopropylphenoxy and R_{10} is trifluoromethoxy;
- 10 R_5 is 2,3-dichlorophenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 4-fluorophenoxy and R_{10} is trifluoromethoxy;
- R_5 is 4-methylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 2-fluoro-5-bromophenoxy and R_{10} is trifluoromethoxy;
- 15 R_5 is 4-chloro-3-ethylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-ethylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3,5-dimethylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 3-*t*-butylphenoxy and R_{10} is trifluoromethoxy;
- R_5 is 4-fluoro-3-methylphenoxy and R_{10} is trifluoromethoxy;
- 20 R_5 is 3,4-dichlorophenoxy and R_{10} is trifluoromethoxy;
- R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is trifluoromethoxy;

R₅ is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-difluoromethoxyphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-dimethylaminophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-cyclopropylphenoxy and R₁₀ is trifluoromethoxy;

5 R₅ is 3-(2-furyl)phenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-pentafluoroethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-aminophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3,4,5-trimethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 4-propoxyphenoxy and R₁₀ is trifluoromethoxy;

10 R₅ is 3-trifluoromethylphenoxy and R₁₀ is trifluoromethoxy;

R₅ is 2-nitrophenoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethoxybenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3,5-difluorobenzyloxy and R₁₀ is trifluoromethoxy;

15 R₅ is cyclohexylmethyleneoxy and R₁₀ is trifluoromethoxy;

R₅ is benzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3,5-ditrifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 4-trifluoromethoxybenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 4-ethylbenzyloxy and R₁₀ is trifluoromethoxy;

20 R₅ is isopropoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylbenzyl and R₁₀ is trifluoromethoxy;

R₅ is isopropylthio and R₁₀ is trifluoromethoxy;

R₅ is cyclopentoxy and R₁₀ is trifluoromethoxy;

R₅ is 3-chloro-5-pyridinyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylthiobenzyloxy and R₁₀ is trifluoromethoxy;

5 R₅ is 3,4-dimethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 2-fluoro-3-trifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 3-fluoro-5-trifluoromethylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 4-isopropylbenzyloxy and R₁₀ is trifluoromethoxy;

R₅ is 1-phenylethoxy and R₁₀ is trifluoromethoxy;

10 R₅ is 4-fluoro-3-methylbenzoyl and R₁₀ is trifluoromethoxy;

R₅ is 3-trifluoromethylphenyl and R₁₀ is trifluoromethoxy;

R₅ is 4-methoxyphenylamino and R₁₀ is trifluoromethoxy;

R₅ is 4-nitrophenylthio and R₁₀ is trifluoromethoxy;

R₅ is 3-isopropylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

15 R₅ is 2,3-dichlorophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-trifluoromethoxyphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-fluorophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-methylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 2-fluoro-5-bromophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

20 R₅ is 4-chloro-3-ethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-ethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3,5-dimethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-*t*-butylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-fluoro-3-methylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3,4-dichlorophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

5 R₅ is 5,6,7,8-tetrahydro-2-naphthoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-difluoromethoxyphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-dimethylaminophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

10 R₅ is 3-cyclopropylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-(2-furyl)phenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-pentafluoroethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-aminophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3,4,5-trimethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

15 R₅ is 4-propoxyphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-trifluoromethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 2-nitrophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-trifluoromethoxybenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-trifluoromethylbenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

20 R₅ is 3,5-difluorobenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is cyclohexylmethylenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is benzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

- R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-ethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is isopropoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 5 R_5 is 3-trifluoromethylbenzyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is isopropylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is cyclopentoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-chloro-5-pyridinyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 10 R_5 is 3,4-dimethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- 15 R_5 is 4-isopropylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 1-phenylethoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 3-trifluoromethylphenyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;
- R_5 is 4-methoxyphenylamino and R_{10} is 1,1,2,2-tetrafluoroethoxy; and
- 20 R_5 is 4-nitrophenylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy.

((original) 95. The method of Claim 86 further characterized by treating coronary artery disease in a subject by administering a therapeutically effective

amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

5 (original) 96. The method of Claim 86 further characterized by preventing coronary artery disease in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

10 (original) 97. The method of Claim 86 further characterized by preventing cerebral vascular accident (CVA) in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

15

(original) 98. The method of Claim 86 further characterized by treating or preventing dyslipidemia in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt
20 thereof.